



FLOOR SPACE			
EAST END	35' X 21'	=	1085
DOWNDRAW	8 1/2' X 20'	=	166 2/3
CEMENT BLOCKS	10' X 22'	=	220
FIREPLACE	12 1/2' X 15'	=	234 1/2
FAMILY RM	18' X 24'	=	432
GARAGE	20' X 24'	=	480
			2618




FOUNDATION PLAN
SCALE: 1/4" = 1'-0"

- NOTE:
- ALL PIERES 12" X 12" CONC.
 - ALL GIRDERS 4" X 6" D.F.P.T
 - 12" - 14" X 6" G.I. SCREEN VENTS REQUIRED

HENRY J. FRIEL ARCHITECT		SHEET 2
RESIDENCE & GARAGE		
MD. ART NORTH		DATE
JOB ADDRESS	LOT	BY E.M.L.
BLOCK	TRACT	



FIREPLACE - FAMILY ROOM.




FLOOR PLAN

SCALE - 1/4" = 1'-0"


2/12/74

HENRY J. FRIEL = AIA ARCHITECT	
RESIDENCE & GARAGE	
for	
MR. ART WORTH	
JOB ADDRESS	DATE
LOT	BY
BLOCK	TRACT
SHEET 3	




EAVE DETAIL


SCALE: 3/4" = 1'-0"




RIGHT SIDE



REAR ELEVATION



LEFT SIDE



FRONT ELEVATION

HENRY J. FRIEL = AIA ARCHITECT		SHEET 4
1820 SOUTH BELLEVUE PASADENA, CALIF. 91101		
RESIDENCE & GARAGE for MR. ART NORTH		DATE
JOB ADDRESS	LOT	BY
BLOCK	TRACT	

FIREPLACE DETAIL

JALOUSIE

WOOD SLIDING

METAL SLOG. & CASE

FOUNDATION DETAILS

SCALE 1/2" = 1'-0"

G1 SPARK ARRESTER
CONC. CAP
2-3/8" STEEL HOOPS

26 GA G1 FLASHING
KEEP WOOD 1" AWAY
RAFTERS

ANCHOR STRAP CARRY
TO 2ND JOIST USE 2-1/2"

CEILING JOISTS
2-3/8" STEEL HOOPS

TERRA COTTA FLUE
VERT. BARS 4-1/2" Ø
CONT. FROM TO CAP

2-1/2" x 3/4" L
FIRE BRICK

3/8" BARS @ 6" OC
FROM WAYS
FLOOR JOISTS

HEARTH (A)

FIRE BRICK
3/8" BARS @ 6" OC
FROM WAYS

FINISH FLOOR
FLOOR JOISTS

HEARTH (B)

HORIZ. BARS 1/2" Ø
ON 16" OC

CAST IRON CLEAN OUT

9" DEEP METAL PAN
FIRE BRICK
CONC. SLAB
4" GRAVEL

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

HEARTH (C)

METAL FLASHING
MILL FROM
2x3
1/2" x 4" FRAME
1/2" x 1/2" STOP

HEAD

JAMB

METAL TRIM
FOR EITHER
PLASTER OR
DRYWALL OR
METAL TRIM
CORNER
CORNER
CORNER

SILL

METER HEADERS
1/2" x 1/2" STEEL
STRAP LAG SCREW
1/2" x 1/2" STEEL
STRAP LAG SCREW
1/2" x 1/2" STEEL
STRAP LAG SCREW

HEADER DETAIL

G1 FLASHING
MILL FROM
2x3
1/2" x 4" FRAME
3/8" x 1" STOP

HEAD

JAMB

3/8" x 1" STOP

MULLION

3/8" x 1" STOP

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

METAL FLASHING
MILL FROM
2x3
1/2" x 4" FRAME
1/2" x 1/2" STOP

HEAD

JAMB

METAL TRIM
FOR EITHER
PLASTER OR
DRYWALL OR
METAL TRIM
CORNER
CORNER
CORNER

SILL

METER HEADERS
1/2" x 1/2" STEEL
STRAP LAG SCREW
1/2" x 1/2" STEEL
STRAP LAG SCREW
1/2" x 1/2" STEEL
STRAP LAG SCREW

HEADER DETAIL

G1 FLASHING
MILL FROM
2x3
1/2" x 4" FRAME
3/8" x 1" STOP

HEAD

JAMB

3/8" x 1" STOP

MULLION

3/8" x 1" STOP

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

METAL FLASHING
MILL FROM
2x3
1/2" x 4" FRAME
1/2" x 1/2" STOP

HEAD

JAMB

METAL TRIM
FOR EITHER
PLASTER OR
DRYWALL OR
METAL TRIM
CORNER
CORNER
CORNER

SILL

METER HEADERS
1/2" x 1/2" STEEL
STRAP LAG SCREW
1/2" x 1/2" STEEL
STRAP LAG SCREW
1/2" x 1/2" STEEL
STRAP LAG SCREW

HEADER DETAIL

G1 FLASHING
MILL FROM
2x3
1/2" x 4" FRAME
3/8" x 1" STOP

HEAD

JAMB

3/8" x 1" STOP

MULLION

3/8" x 1" STOP

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

SILL

2x4 STUDS @ 16" OC
2x4 PLATE
2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

2x4 STUDS @ 16" OC
2x4 PLATE
2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

2x4 STUDS @ 16" OC
2x4 PLATE
2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

2x4 STUDS @ 16" OC
2x4 PLATE
2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING

2x6 T&G SHEATHING

2x6 DEPT. MUD SILL
1/2" x 10" BOLT @ 6" OC
2x6 MIN. INTO
FOOTING

1/2" BARS CONT. TOP
AND BOTTOM

SCREENED VENTS IN
CONC. FOOTING